

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by WV Source of data Bowc Date 1/69 Map DELTA CITY 1660

State 28 County (or town) Wash 7:6

Latitude: 33° 07' 06" N Longitude: 090° 47' 15" W Sequential number: 1

Lat-long accuracy: 4 T. 15 S, R. 6 Sec 26, SWt, SWt, SEt

Local well number: P 057 26 15 N 06 W Other number: B & M

Local use: 020 Owner or name: Tom Hollingsworth (Jimmy)

Owner or name: T. HOLLINGSWORTH Address: Hollandale

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instat, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory: yes  no: period:

Aperture cards:  yes

Log data: 32.15  D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 720 ft Meas. rept 3

Depth cased: (first perf.) 700 ft Casing type: 4X2 in Diam. 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 5

Method: (A) air bored, (B) cable, dug, rot., (C) jetted, (D) hyd, (E) air percussion, (F) rotary, (G) reverse trenching, (H) driven, (I) wash, (J) other H

Date Drilled: 5/63 963 Pump intake setting: 36 ft 38

Driller: Barley Oil Co. name address

Lift (type): (A) air, (B) bucket, (C) cent, jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, submerg, (I) turb, (J) other 39 Deep 40 Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. Trans. or meter no. 41

Descrip. MP 105 ft above below LSD, Alt. MP Accuracy: (source) 47

Water Level: 21 ft above below MP; Ft below LSD Accuracy: 57 D

Date meas: 563 Yield: 53 gpm Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period 66 hrs 68

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72

Sp. Conduct 73 K x 10 74 Temp. 75 °F Date sampled 77 79

Taste, color, etc.

Well No.

P57

**GEOLOGIC CARD**

NAME AS ON MASTER CARD: \_\_\_\_\_ Physiographic Province: \_\_\_\_\_ Section: 0:3  
 Drainage Basin: E Subbasin: 15H

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, site: \_\_\_\_\_  
 (E) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ V

FER: \_\_\_\_\_ system \_\_\_\_\_ series TE aquifer, formation, group SS

ology: \_\_\_\_\_ US Origin: 2 Aquifer Thickness: >40 ft  
 Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 680

FER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
 Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

values used: \_\_\_\_\_


h to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

h to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

ical trial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

efficient \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

efficient \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

P57