FORM 9-1642
(1-68)

Well No. P 62

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J.S. Source of data Bowc Date 1/70 Map

State 28 County (or town) Washington 76

Latitude: 33 08 4 X N Longitude: 09 04 7 4 2 Sequential number: 1

Lat-long accuracy: 5 T. N S, R E W, Sec, ¼, ¼, ¼ B & M

Local well number: P062 1415N06W Other number:

Local use: 064 Owner or name:

Owner or name: J H THEUNISSEN Address: Hollandale

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — I

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (Ø) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. — W

DATA AVAILABLE: Well data . Freq. W/L meas.: Ø Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: ft 122 Meas. rept accuracy 3

Depth cased (first perf.) ft 72 Casing type: Steel ; Diam. in 16

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ø) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other — S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 9 6 8 Pump intake setting: ft

Driller: name, address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (cent.), (M) multiple, (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other — Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 60 V Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 100 Accuracy (source): 3

Water Level 16 ft above below MP; Ft above below LSD 16 Accuracy: D

Date meas: 2 6 8 Yield: gpm 2500 Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10^6 Temp. °F Date sampled

Taste, color, etc.

Well No. P 62

Well No. /

Latitude-longitude N S d m s d m s

'DROGEOLOGIC CARD

SAME AS ON MASTER CARD 19 Physiographic Province: 03 20 21 Section:

E 22 Drainage Basin: 15H 23 25 Subbasin: 26

o of (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp,
l site: (O) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat 27

OR IFER: system, series QG 28 29 aquifer, formation, group MA 30 31

hology: S 32 33 Origin: 2 34 Aquifer Thickness: ≥10 ft

5 37 Length of well open to: ft 50 38 40 Depth to top of: ft 12 41 43

OR IFER: system, series 44 45 aquifer, formation, group 46 47

hology: 48 49 Origin: 50 Aquifer Thickness: ft

53 Length of well open to: ft 54 56 Depth to top of: ft 57 59

ervals eened: 16" Armco.

th to solidated rock: ft 60 63 Source of data: 64

th to ement: ft 65 68 Source of data: 69

ficial erial: 70 71 Infiltration characteristics: 72

fficient ns: gpd/ft 73 75 Coefficient Storage: 76 78

fficient n: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: 79



Well No. 962

GPO 937-142

GWSI UPDATES

Well No P062
County Washington

Item	Changed		Requested by		Updated by	
No	From	To	Initial	Date	Initial	Date
9	330841	330822	KJA	8-17-92	JH	8-31-92
10	904742	0904735	KJA	8-17-92	JH	8-31-92