

WELL SCHEDULE GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

PUNCHED

MASTER CARD

Record by WTR Source of data BOWC Obs driller Date 9/70 Map \_\_\_\_\_

State 28 County (or town) WASH. 78

Latitude: 330309N Longitude: 0910250 Sequential number: 1

Lat-long accuracy: 2 T. 14 S. R. 8 E. Sec 14 NE t. NE t. NE t.

Local well number: SOTTAA1414NO8W Other number: \_\_\_\_\_ B & M

Local use: 064069 Owner or name: \_\_\_\_\_

Owner or name: A D WORTHINGTON Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: Elog T-1090 DE

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 955 Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 925 Casing type: STEEL; Diam. 4X2 in 4

Finish: (C) porous concrete, (F) gravel w. (G) horz. gallery, (H) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven wash, (W) drive other H

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Loyne Central name address Cleveland, Miss.

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other  Deep  Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) T 4

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 33 Accuracy: \_\_\_\_\_ D

Date mea: 970 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

ST1

Latitude-longitude \_\_\_\_\_  
d m s d m s

HYDROGEOLOGIC CARD

WE AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

E

Drainage Basin: \_\_\_\_\_

115I

Subbasin: \_\_\_\_\_

(D) of depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (M) site: (N) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

FER: \_\_\_\_\_ system series TE

aquifer, formation, group SS

ology: \_\_\_\_\_ U.S. Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

FER: \_\_\_\_\_ system series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

ervals used: 2' S.S.

to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

to cement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_



cial: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft

Coefficient Storage: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. 517