

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 4/26/68 Map

State 28 County WAYNE (or town) 77

Latitude: 31<sup>deg</sup> 41<sup>min</sup> 51<sup>sec</sup> N Longitude: 08<sup>deg</sup> 84<sup>min</sup> 23<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T. 9 S. R. 8 Sec 35, SW SW

Local well number: G036CC3509N08W Other number: B & M

Local use: 033 Owner or name: West S. Flack Grove Baptist Church

Owner or name: W. SHADY GRN BAP Address: W. S. Flack Grove

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory: yes  no  period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 153 ft 153 Meas. rept accuracy 3

Depth cased: (first perf.) 127 ft 127 Casing type: 2 in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (P) open perf., (S) screen, (T) sd. pt., (W) shored, (X) hole, (Z) other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (H) jetted, (J) air percussion, (P) reverse, (R) trenching, (T) driven, (V) drive wash, (W) other H

Date Drilled: 6/65 965 Pump intake setting:  ft

Driller: Porter Drilling & Sup.

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (N) multiple, (P) none, (R) piston, (S) rot, (T) submerg, (V) turb, (W) other  Deep  Shallow 40

Power (type): (nat) diesel, (elec) elec, (gas) gas, (hand) hand, (LP) gas, (wind) wind; H.P.  Trans. or meter no.

Descrip. MP  above ft  below LSD. Alt. MP

Alt. LSD:  Accuracy: (source)

Water Level: 72 ft above MP; 72 ft below LSD Accuracy:

Date meas: 6/65 665 Yield:  gpm  Method determined

Drawdown:  ft  Accuracy:  Pumping period:  hrs

QUALITY OF WATER DATA: Iron  ppm Sulfate  ppm Chloride  ppm Hard.  ppm

Sp. Conduct  K x 10  Temp.  °F  Date sampled

Taste, color, etc.

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

G 36

Well No. \_\_\_\_\_

G 36

Latitude-longitude \_\_\_\_\_  
d m s N  
S  
d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13P Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TM \_\_\_\_\_ aquifer, formation, group CA

Lithology: US Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 1/4" 7 slot Stainless Steel

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

9 miles NW of Waverly



Well No. \_\_\_\_\_

G 36