

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

ROLL  
PURCHASED AND VERIFIED  
BY STATE OF MICHIGAN

MASTER CARD

Record by J.S. Source of data BOWC Date 1/70 Map \_\_\_\_\_  
 State 28 County (or town) Wayne Sequential number: 77  
 Latitude: 31 44 20 N Longitude: 08 84 53 W  
 Lat-Long accuracy: 3 20' T. S. R. W. Sec. \_\_\_\_\_  
 Local well number: G070AA2309N08W Other number: \_\_\_\_\_  
 Local use: 194 Owner or name: \_\_\_\_\_  
 Owner or name: ROLAND STRUT Address: Rt 1, Waynesboro  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  
 Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_  
 Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_  
 DATA AVAILABLE: Well data \_\_\_\_\_ Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 231 Meas. rept accuracy \_\_\_\_\_  
 Depth cased: (first perf.) \_\_\_\_\_ ft \_\_\_\_\_ Casing type: Galv. Diam. in \_\_\_\_\_  
 Finish: porous concrete, gravel w. (perf.), (screen), gallery, end, gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_  
 Method Drilled: air rot, bored, cable, dug, hyd rot., jetted, percussion, rotary, air reverse, trenching, driven, wash, other \_\_\_\_\_  
 Date Drilled: 9.6.9 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_  
 Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_ Deep \_\_\_\_\_  
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 325 Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 135 Accuracy: \_\_\_\_\_  
 Date meas: 12.6.9 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. G 70

Well No. G 70

Latitude-longitude N  
S

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: 13P Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: TM series CA aquifer, formation, group

Lithology: US Origin: S Aquifer Thickness: 114 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 115 ft

MINOR AQUIFER: \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. G 70