

MAY 20 1975

G113

FORM 9-1642 (1-68)

Well No.

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by Q Source of data Bowc Date 9/73 Map \_\_\_\_\_

State MISS 28 County (or town) WAYNE 77

Latitude: 31<sup>deg</sup> 42<sup>min</sup> 09<sup>sec</sup> N Longitude: 08<sup>degrees</sup> 84<sup>min</sup> 30<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3<sup>T</sup> 90<sup>S, R</sup> 8<sup>E</sup> 33<sup>Sec</sup> SW SW

Local well number: G113 CC3309N08W Other number: \_\_\_\_\_ B & M

Local use: 028 473 78 Owner or name: \_\_\_\_\_

Owner or name: WHISTLER, W. A. Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Insitit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other P

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. Z

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Structure cards: \_\_\_\_\_

Log data: Ref T.H. E log # 269 Well sched G98 D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 212 Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 150 Casing type: \_\_\_\_\_; Diam. 8x6 in 8

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percuss, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other H

Date Drilled: 5-5-73 973 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: C.P. Clark

Lift (type): (A) air, (B) bucket, (C) cen., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other T Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 15 U Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 380 Accuracy: (source) topo 4

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 85 Accuracy: \_\_\_\_\_ D

Date meas: 573 Yield: \_\_\_\_\_ gpm 300 Method determined 2

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs 2

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

