

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Record by J. HARRELL Source of data BOWC Date 4/30/68 Map \_\_\_\_\_

State 28 County (or town) WAYNE 77

Latitude: 31<sup>deg</sup> 42<sup>min</sup> 07<sup>sec</sup> N Longitude: 08<sup>deg</sup> 84<sup>min</sup> 35<sup>sec</sup> W Sequential number: 7

Lat-long accuracy: 3 T. 90<sup>N</sup> S. R. 70<sup>E</sup> Sec 31 T. NW S. SE

Local well number: H0508D3109N07W Other number: \_\_\_\_\_ B & M

Local use: 033 Owner or name: \_\_\_\_\_

Owner or name: HEROY LANGLEY Address: Waynesboro

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instat, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 132 ft Meas. rept 132 accuracy 3

Depth cased: (first perf.) 127 ft Casing type: \_\_\_\_\_; Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) horiz. screen, (H) gallery, (I) open end, (J) other, (K) air, (L) bored, (M) cable, (N) dug, (O) hyd, (P) jetted, (Q) air, (R) reverse, (S) trenching, (T) driven, (U) drive, (V) wash, (W) other \_\_\_\_\_ S

Method Drilled: (A) rot, (B) air, (C) bored, (D) cable, (E) dug, (F) hyd, (G) jetted, (H) air, (I) reverse, (J) trenching, (K) driven, (L) drive, (M) wash, (N) other \_\_\_\_\_ H

Date Drilled: 4/66 966 Pump intake setting: \_\_\_\_\_ ft

Driller: Porter Drilling Co.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below \_\_\_\_\_ LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 114 ft above \_\_\_\_\_ MP; Ft below \_\_\_\_\_ LSD 114 Accuracy: \_\_\_\_\_

Date meas: 4/66 466 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. H50

Well No. H50

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD  Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D  Subbasin: 13P

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) offshore, pediment, hillside, terrace, undulating, valley flat  
(Ø) (P) (S) (T) (U) (V) \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 28 29 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 30 31

Lithology: \_\_\_\_\_ 32 33 Origin: \_\_\_\_\_ 34 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 38 40 5 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 46 47

Lithology: \_\_\_\_\_ 48 49 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 54 56 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 57 59

Intervals Screened: 1/4" stainless steel

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 63 Source of data: \_\_\_\_\_ 64


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 75 Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79

*6 miles W of Waynesboro*



Well No.

H50