

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**  
MAR 21 1974

MASTER CARD

Record by aj Source of data MBWC Date 5.25.72 Map \_\_\_\_\_

State 28 County (or town) Wayne 7:7

Latitude: 31 39 14 N Longitude: 08 83 82 0 Sequential number: 7

Lat-long accuracy: 3 8 70 Sec 13 SE SE

Local well number: N141D.D.1308N07W Other number: \_\_\_\_\_ B & M

Local use: 033 Owner or name: Scotch Plywood of Miss.

Owner or name: SCOTCH PLYWOOD Address: Waynesboro

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air-cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other N

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed N

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; Type:

Freq. sampling:  Pumpage inventory:  yes  no  period: \_\_\_\_\_

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 126 ft Meas. rept 3

Depth cased (first perf.): 116 ft Casing type: Steel ; Diam. 4 in

Finish: porous concrete, (F) gravel w. screen, (G) gravel w. gallery, (H) horz. open end, (I) perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other 5

Method drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) percussive, (G) rotary, (H) trenching, (I) driven, (J) drive wash, (K) other 7

Date drilled: 4.28.72 9.7.72 Pump intake setting: 6.3 ft

Driller: Porter Drilling & Supply

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 5 Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 160 Accuracy: 4

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 33 Accuracy: 2

Date meag: 4.7.72 Yield: 30 gpm 30 Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. N141

