

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR      GEOLOGICAL SURVEY      WATER RESOURCES DIVISION

MASTER CARD

Record by B. D. Source of data BOWL Date 8-71 Map \_\_\_\_\_

State 28 County (or town) WAYNE 77

Latitude: 312857N Longitude: 088504W Sequential number: 1

Lat-long accuracy: 3 T. 6 S. R. 9 Sec 13 NE 1 NE 2 SE 3

Local well number: V014AD1306N09W Other number: \_\_\_\_\_ B & H

Local use: 028 Owner or name: \_\_\_\_\_

Owner or name: MULBERRY RAP CHU Address: RIGHTON, MS.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Reprssure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_ yes

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 278 Meas. 3

Depth cased (first perf.): 273 Casing type: GALV Diam. 2

Finish: porous concrete, gravel w. (F), gravel w. (G), horiz. (H), open (O), perf., screen, sd. pt., shored, open hole, other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) reverse percussion, (H) trenching, (I) driven, (J) drive wash, other H

Date Drilled: 971 Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: C. P. CLARK

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 1 1/2 Trans. or meter no. T

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 270 Accuracy: 4

Water Level 112 ft above below MP; Ft below LSD 112 Accuracy: D

Date meae: 771 Yield: \_\_\_\_\_ gpm 6 Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. V14

Latitude-longitude N  
S  
d m s d m s

BROUGHT

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province:

03 Section:

D Drainage Basin:

130 Subbasin:

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

Fm

aquifer, formation, group

CA

Lithology:

U.S.

Origin:

3

Aquifer

Thickness:

44 ft

Length of well open to:

ft

5

Depth to top of:

ft

234

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology:

Origin:

Aquifer

Thickness:

ft

Length of well open to:

ft

Depth to top of:

ft

Intervals Screened:

1/4", 006 S.S.

Depth to consolidated rock:

ft

Source of data:

Depth to basement:

ft

Source of data:

Surficial material:

Infiltration characteristics:

Coefficient Trans:


gpd/ft

Coefficient Storage:

Coefficient Perm:

gpd/ft<sup>2</sup>; Spec cap:

gpm/ft; Number of geologic cards:



Well No.

V14