

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH  
WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data BOWC Date 11/69 Map \_\_\_\_\_

State 28 County (or town) Wayne 77

Latitude: 313114N Longitude: 0883116 Sequential number: 1

Lat-long accuracy: 3

Local well number: Z0308A0606N05W Other number: \_\_\_\_\_

Local use: 017 Owner or name: \_\_\_\_\_

Owner or name: CLYDE DOBSON Address: Bucaturra

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Inatit, (O) Unused, (P) Recharge, (Q) Desal-P.S., (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 462 ft Meas. rept accuracy 3

Depth cased; (first perf.) 336 ft Casing type: Iron; Diam. in 4

Finish: (C) porous concrete, (F) gravel v. concrete, (G) gravel v. screen, (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other X

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percuss, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other N Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 35 Accuracy: (source) \_\_\_\_\_

Water Level: 18 ft above MP; 18 ft below LSD Accuracy: 18

Date meas: 969 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. Z 30

Well No. 50

OH 116W

WATER RESOURCES DIVISION (98-1)

WELL SCHEDULE

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: 0.3 Section: 20.12.10

Drainage Basin: D Subbasin: 3-P

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (P) flat, (R) hilltop, (K) sink, (L) swamp, (S) offshore, (T) pediment, (U) hillside, (V) terrace, (W) undulating, (X) valley, (Y) flat.

MAJOR AQUIFER: T system Φ series Φ aquifer, formation, group VG

Lithology: L Origin: G Thickness: 132 ft

Length of well open to: 330 ft Depth to top of: 330 ft

MINOR AQUIFER: 2A system 2A series 2A aquifer, formation, group 2A

Lithology: 2A Origin: 2A Thickness: 2A ft

Length of well open to: 2A ft Depth to top of: 2A ft

Intervals Screened: 2A

Depth to consolidated rock: 2A ft Source of data: 2A

Depth to basement: 2A ft Source of data: 2A

Surficial material: 2A Infiltration characteristics: 2A

Coefficient Trans: 2A gpd/ft<sup>2</sup> Coefficient Storage: 2A

Coefficient Perm: 2A gpd/ft<sup>2</sup>; Spec cap: 2A gpm/ft; Number of geologic cards: 2A

Table with columns for well depth, casing, and other well parameters. Includes handwritten '6' and 'X' in some cells.

Table with columns for well depth, casing, and other well parameters. Includes handwritten '30' on the right side.