

PUNCHED

OCT 20 1975

FORM 9-1642 (1-68)

Well No. 264

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

1/2 mi N State Line

MASTER CARD

Record by Bew Source of data Bone Date 10/17/75 Map \_\_\_\_\_

State 28 County (or town) Wagoner 77

Latitude: 31<sup>deg</sup> 27<sup>min</sup> 30<sup>sec</sup> N Longitude: 098<sup>degrees</sup> 28<sup>min</sup> 20<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 5<sup>T</sup> 6<sup>N</sup> 5<sup>R</sup> 5<sup>S</sup> 2<sup>E</sup> 2<sup>W</sup> NW NE

Local well number: 2064BA2706NO5W Other number: \_\_\_\_\_ B & M

Local use: 033 Owner or name: JOHN CLARK Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well-data 0 Freq. W/L meas: 0 Field aquifer char. 0

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes 0 no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes 0

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 599 ft Meas. rept accuracy 3

Depth cased: 588 ft Casing type: \_\_\_\_\_; Diam. in 2

Finish: (C) concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. open gallery, (I) open end, (J) other, (K) perf., (L) screen, (M) sd. pt., (N) shored, (O) open hole, (P) other 9

Method: (A) air, (B) bored, (C) cable, (D) dug, (E) hyd, (F) jetted, (G) air, (H) percussion, (I) rotary, (J) reverse, (K) trenching, (L) driven, (M) drive, (N) wash, (O) other H

Date Drilled: 9.7.5 Pump intake setting: \_\_\_\_\_ ft

Driller: Porter name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other D Deep 0 Shallow 0

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 1 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 215 Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 54 Accuracy: \_\_\_\_\_

Date meas: 5.7.5 Yield: \_\_\_\_\_ gpm 15 Method determined 9

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 320 K x 10 6 Temp. 22.0 °F Date sampled \_\_\_\_\_

Taste, color, etc. pH=8.6

Well No.

Latitude-longitude

N  
S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD  
 Physiographic Province: 03 Section: \_\_\_\_\_  
 Drainage Basin: D Subbasin: 13P

(D) (C) (E) (F) (H) (K) (L)  
 Topo of well site: \_\_\_\_\_  
 (Q) (P) (S) (T) (U) (V)  
 offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: TM 123WSBR EA  
 system series aquifer, formation, group

Lithology: S Origin: \_\_\_\_\_  
 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: 44 ft  
 Depth to top of: 10 ft  
555 ft

MINOR AQUIFER: \_\_\_\_\_  
 system series aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_  
 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft  
 Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft  
 Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft  
 Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_  
 Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft  
 Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Good water



- w. clay F.S.d 498-590'
- F.S.d 540-548
- clay 548-555
- m. Fine 555-570
- m. sand 570-588
- m. c. sd 588-598
- clay 598-599

Well No.

Z 64