

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J. Shell Source of data BOWC Date 2/64 Map _____

State 28 County Webster (or town) 7:8

Latitude: 33° 42' 59" N Longitude: 08° 9' 28" W Sequential number: 1

Lat-long accuracy: 3 T 210 S, R 8 W, Sec 5, NW, SE, NW

Local well number: A005DB0521N08E Other number: _____ B & M

Local use: 081 Owner or name: J. H. PITTMAN Address: Gore Spgs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes no, period: _____

Aperture cards: _____

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 120 ft Meas. rept accuracy 3

Depth cased: 120 ft Casing type: Plastic; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other Gravel

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 9:68 Pump intake setting: _____ ft

Driller: _____

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. 5

Descrip. MP _____ ft above/below LSD, Alt. MP _____

Alt. LSD: 310 Accuracy: (source) 5

Water Level 30 ft above/below MP; 30 ft below LSD Accuracy: D

Date meas: 068 Yield: _____ gpm Method determined 6

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm


Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

Well No.

A 5

Well No. A 5



Clay white sd 15-120
0-15 ft

Well 120 ft deep w/ 120 ft plastic casing

HYDROGEOLOGIC CARD

1 SAME AS ON MASTER CARD
 19 Physiographic Province: 03 Section: 03
 23 Drainage Basin: D
 24 Subbasin: 156

25 Topo of well site: (A) depression, stream channel, dunes, flat, hilltop, sink, swamp, (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) (AA) (AB) (AC) (AD) (AE) (AF) (AG) (AH) (AI) (AJ) (AK) (AL) (AM) (AN) (AO) (AP) (AQ) (AR) (AS) (AT) (AU) (AV) (AW) (AX) (AY) (AZ) (BA) (BB) (BC) (BD) (BE) (BF) (BG) (BH) (BI) (BJ) (BK) (BL) (BM) (BN) (BO) (BP) (BQ) (BR) (BS) (BT) (BU) (BV) (BW) (BX) (BY) (BZ) (CA) (CB) (CC) (CD) (CE) (CF) (CG) (CH) (CI) (CJ) (CK) (CL) (CM) (CN) (CO) (CP) (CQ) (CR) (CS) (CT) (CU) (CV) (CW) (CX) (CY) (CZ) (DA) (DB) (DC) (DD) (DE) (DF) (DG) (DH) (DI) (DJ) (DK) (DL) (DM) (DN) (DO) (DP) (DQ) (DR) (DS) (DT) (DU) (DV) (DW) (DX) (DY) (DZ) (EA) (EB) (EC) (ED) (EE) (EF) (EG) (EH) (EI) (EJ) (EK) (EL) (EM) (EN) (EO) (EP) (EQ) (ER) (ES) (ET) (EU) (EV) (EW) (EX) (EY) (EZ) (FA) (FB) (FC) (FD) (FE) (FF) (FG) (FH) (FI) (FJ) (FK) (FL) (FM) (FN) (FO) (FP) (FQ) (FR) (FS) (FT) (FU) (FV) (FW) (FX) (FY) (FZ) (GA) (GB) (GC) (GD) (GE) (GF) (GG) (GH) (GI) (GJ) (GK) (GL) (GM) (GN) (GO) (GP) (GQ) (GR) (GS) (GT) (GU) (GV) (GW) (GX) (GY) (GZ) (HA) (HB) (HC) (HD) (HE) (HF) (HG) (HH) (HI) (HJ) (HK) (HL) (HM) (HN) (HO) (HP) (HQ) (HR) (HS) (HT) (HU) (HV) (HW) (HX) (HY) (HZ) (IA) (IB) (IC) (ID) (IE) (IF) (IG) (IH) (II) (IJ) (IK) (IL) (IM) (IN) (IO) (IP) (IQ) (IR) (IS) (IT) (IU) (IV) (IW) (IX) (IY) (IZ) (JA) (JB) (JC) (JD) (JE) (JF) (JG) (JH) (JI) (JJ) (JK) (JL) (JM) (JN) (JO) (JP) (JQ) (JR) (JS) (JT) (JU) (JV) (JW) (JX) (JY) (JZ) (KA) (KB) (KC) (KD) (KE) (KF) (KG) (KH) (KI) (KJ) (KK) (KL) (KM) (KN) (KO) (KP) (KQ) (KR) (KS) (KT) (KU) (KV) (KW) (KX) (KY) (KZ) (LA) (LB) (LC) (LD) (LE) (LF) (LG) (LH) (LI) (LJ) (LK) (LL) (LM) (LN) (LO) (LP) (LQ) (LR) (LS) (LT) (LU) (LV) (LW) (LX) (LY) (LZ) (MA) (MB) (MC) (MD) (ME) (MF) (MG) (MH) (MI) (MJ) (MK) (ML) (MN) (MO) (MP) (MQ) (MR) (MS) (MT) (MU) (MV) (MW) (MX) (MY) (MZ) (NA) (NB) (NC) (ND) (NE) (NF) (NG) (NH) (NI) (NJ) (NK) (NL) (NM) (NN) (NO) (NP) (NQ) (NR) (NS) (NT) (NU) (NV) (NW) (NX) (NY) (NZ) (OA) (OB) (OC) (OD) (OE) (OF) (OG) (OH) (OI) (OJ) (OK) (OL) (OM) (ON) (OO) (OP) (OQ) (OR) (OS) (OT) (OU) (OV) (OW) (OX) (OY) (OZ) (PA) (PB) (PC) (PD) (PE) (PF) (PG) (PH) (PI) (PJ) (PK) (PL) (PM) (PN) (PO) (PP) (PQ) (PR) (PS) (PT) (PU) (PV) (PW) (PX) (PY) (PZ) (QA) (QB) (QC) (QD) (QE) (QF) (QG) (QH) (QI) (QJ) (QK) (QL) (QM) (QN) (QO) (QP) (QQ) (QR) (QS) (QT) (QU) (QV) (QW) (QX) (QY) (QZ) (RA) (RB) (RC) (RD) (RE) (RF) (RG) (RH) (RI) (RJ) (RK) (RL) (RM) (RN) (RO) (RP) (RQ) (RR) (RS) (RT) (RU) (RV) (RW) (RX) (RY) (RZ) (SA) (SB) (SC) (SD) (SE) (SF) (SG) (SH) (SI) (SJ) (SK) (SL) (SM) (SN) (SO) (SP) (SQ) (SR) (SS) (ST) (SU) (SV) (SW) (SX) (SY) (SZ) (TA) (TB) (TC) (TD) (TE) (TF) (TG) (TH) (TI) (TJ) (TK) (TL) (TM) (TN) (TO) (TP) (TQ) (TR) (TS) (TT) (TU) (TV) (TW) (TX) (TY) (TZ) (UA) (UB) (UC) (UD) (UE) (UF) (UG) (UH) (UI) (UJ) (UK) (UL) (UM) (UN) (UO) (UP) (UQ) (UR) (US) (UT) (UU) (UV) (UW) (UX) (UY) (UZ) (VA) (VB) (VC) (VD) (VE) (VF) (VG) (VH) (VI) (VJ) (VK) (VL) (VM) (VN) (VO) (VP) (VQ) (VR) (VS) (VT) (VU) (VV) (VW) (VX) (VY) (VZ) (WA) (WB) (WC) (WD) (WE) (WF) (WG) (WH) (WI) (WJ) (WK) (WL) (WM) (WN) (WO) (WP) (WQ) (WR) (WS) (WT) (WU) (WV) (WW) (WX) (WY) (WZ) (XA) (XB) (XC) (XD) (XE) (XF) (XG) (XH) (XI) (XJ) (XK) (XL) (XM) (XN) (XO) (XP) (XQ) (XR) (XS) (XT) (XU) (XV) (XW) (XX) (XY) (XZ) (YA) (YB) (YC) (YD) (YE) (YF) (YG) (YH) (YI) (YJ) (YK) (YL) (YM) (YN) (YO) (YP) (YQ) (YR) (YS) (YT) (YU) (YV) (YW) (YX) (YZ) (ZA) (ZB) (ZC) (ZD) (ZE) (ZF) (ZG) (ZH) (ZI) (ZJ) (ZK) (ZL) (ZM) (ZN) (ZO) (ZP) (ZQ) (ZR) (ZS) (ZT) (ZU) (ZV) (ZW) (ZX) (ZY) (ZZ)

26 Length of well open to: 15 ft
 27 Top of aquifer: 2 ft
 28 Origin: 5
 29 Aquifer thickness: 295 ft
 30 Aquifer, formation, group: MW

31 Length of well open to: 0 ft
 32 Top of aquifer: 0 ft
 33 Origin: 0
 34 Aquifer thickness: 0 ft
 35 Aquifer, formation, group: TE

36 Length of well open to: 0 ft
 37 Top of aquifer: 0 ft
 38 Origin: 0
 39 Aquifer thickness: 0 ft
 40 Aquifer, formation, group: TE

41 Length of well open to: 0 ft
 42 Top of aquifer: 0 ft
 43 Origin: 0
 44 Aquifer thickness: 0 ft
 45 Aquifer, formation, group: TE

46 Length of well open to: 0 ft
 47 Top of aquifer: 0 ft
 48 Origin: 0
 49 Aquifer thickness: 0 ft
 50 Aquifer, formation, group: TE

51 Length of well open to: 0 ft
 52 Top of aquifer: 0 ft
 53 Origin: 0
 54 Aquifer thickness: 0 ft
 55 Aquifer, formation, group: TE

56 Depth to consolidated rock: 0 ft
 57 Source of data: 0
 58 Depth to basement: 0 ft
 59 Source of data: 0
 60 Depth to consolidated rock: 0 ft
 61 Source of data: 0
 62 Depth to basement: 0 ft
 63 Source of data: 0
 64 Depth to consolidated rock: 0 ft
 65 Source of data: 0
 66 Depth to basement: 0 ft
 67 Source of data: 0
 68 Depth to consolidated rock: 0 ft
 69 Source of data: 0
 70 Depth to basement: 0 ft
 71 Source of data: 0
 72 Depth to consolidated rock: 0 ft
 73 Source of data: 0
 74 Depth to basement: 0 ft
 75 Source of data: 0
 76 Depth to consolidated rock: 0 ft
 77 Source of data: 0
 78 Depth to basement: 0 ft
 79 Source of data: 0
 80 Depth to consolidated rock: 0 ft
 81 Source of data: 0
 82 Depth to basement: 0 ft
 83 Source of data: 0
 84 Depth to consolidated rock: 0 ft
 85 Source of data: 0
 86 Depth to basement: 0 ft
 87 Source of data: 0
 88 Depth to consolidated rock: 0 ft
 89 Source of data: 0
 90 Depth to basement: 0 ft
 91 Source of data: 0
 92 Depth to consolidated rock: 0 ft
 93 Source of data: 0
 94 Depth to basement: 0 ft
 95 Source of data: 0
 96 Depth to consolidated rock: 0 ft
 97 Source of data: 0
 98 Depth to basement: 0 ft
 99 Source of data: 0
 100 Depth to consolidated rock: 0 ft
 101 Source of data: 0

Latitude-Longitude N d m s

Well No. A 5

Webster
A-5
10-5-68

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

1968 Charla Larson Webster county well located
date well completed firm name

LANDOWNER:	Description of formations encountered	from	to
<u>J. H. Pettman</u> <u>Gate Springs</u> <u>Miss.</u> (mailing address)	<u>Clay Sand</u>	<u>0</u>	<u>15</u>
WELL LOCATION: sec. <u>5</u> T. <u>21</u> N. R. <u>8</u> E. <u>2</u> miles <u>N. West</u> of <u>Cabaretta</u> (nearest town) WELL PURPOSE: <u>Home</u> (home, irrigation, municipal, industrial) WELL COMPLETION DATA: (1) diameter (inches) <u>4</u> (2) total depth (feet) <u>120'</u> (3) static water level (feet) <u>30</u> (below top of ground) (4) casing <u>Plastic</u> , <u>120'</u> (depth) (size) _____ if telescope see back. (5) screen _____ (length) _____ (depth to top) (size) _____ (material) (6) pump <u>3/4</u> (HP) _____ (yield gpm) <u>Electric</u> (type power) (7) electric log <u>NO</u> (yes or no) (organization running log) _____ (8) how well bottom plugged <u>gravel</u>			
DRILLERS REMARKS: <u>FEB 21 1968</u> <u>MISS. BD. OF</u> <u>WATER COMMISSIONERS</u>			