

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by BE Watson Source of data USGS Date 4/19/57 Map \_\_\_\_\_

State 28 County (or town) Webster Sequential number: 78

Latitude: 33° 43' 45" N Longitude: 089° 04' 18" W Sequential number: 7

Lat-long accuracy: 3 T S, R W, Sec \_\_\_\_\_ B & H \_\_\_\_\_

Local well number: E001AD3415S02E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: G. HUNTER Address: Mantee

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Recharge, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 117.5 ft Meas. rept accuracy 6

Depth cased (first perf.): 300 ft Casing type: \_\_\_\_\_; Diam. in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) percussive, (G) rotary, (H) driven, (I) drive wash, (J) other H

Date Drilled: 9.5.3 Pump intake setting: \_\_\_\_\_ ft

Driller: H P Herndon address Shannon

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other P Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 360 Accuracy: (source) \_\_\_\_\_

Water Level 120 ft above below MP; Ft below LSD 120 Accuracy: \_\_\_\_\_

Date meas: 53 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. Good

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

4/14/78  
W/L = 94.80

Well No.

E1

