

SITE ID-333842 089033601  
FORM 9-1642 (1-68)

Well No.

EQ

WELL SCHEDULE

Elog #8

133B

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Clinton Caradine

Record by: PEG Source of data: Obs. driller Date: 5/70 Map:

State: 43 56 28 County (or town): Webster Sequential number: 78

Latitude: 33 52 42 N Longitude: 0 8 9 0 3 3 6 Sequential number: 1

Lat-long accuracy: 20 150 20 35 SE, NE, NE

Local well number: F009AA3515502E Other number: B & M

Local use: 053008 Owner or name:

Owner or name: MANTEE Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P'S, Desal-other, Other

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W)

DATA AVAILABLE: Well data, Freq. W/L meas., Field aquifer char.

Hyd. lab. data:

Qual. water data; type: M380H 3/65 USGS 11/70

Freq. sampling: Pumpage inventory: no. period:

Aperture cards: yes

Log data: E-log 402-1650

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1698 Meas. rept. accuracy

Depth cased; (first perf.) 1648 Casing type: 10x4 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other

Date Drilled: 963 Pump intake setting: ft

Driller: PARKS Houka, Miss

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 15 Trans. or meter no. 4

Descrip. MP 343 ft above below LSD, Alt. MP

Alt. LSD: 352 Accuracy: (source)

Water Level: ft above below MP; ft above below LSD 130 Accuracy: 120

Date meas: 063 Yield: gpm 100 Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct 700 K x 10^6 4 Temp. F 260 Date sampled 11-18-70 N 70

Taste, color, etc. pH=7.8 Fe - Cl - 163 TS=374


PURCHASED AND VERIFIED BY BOLLING COMPUTATION BRANCH

Well No.

EQ

10/16/78 WL=158.9

Well No. E9



HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD  
 Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: 13E Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat. \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series K3 aquifer, formation, group Tuscaloosa Cφ

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 1650 ft A65

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 1648 - 1696 A

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

*E-log stops at top screen of aquifer*



Well No.

E9

# GWSI UPDATES

Well No E 9  
County WEBSTER

Item	Changed		Requested by		Updated by	
Number	From	To	Initial	Date	Initial	Date
C 9	333842	334356	BRR	3/26/92	WLM	4/22/92
C10	0890336	0890316	"	"	WLM	4/22/92
C150	100	170	"	"	WLM	4/22/92

*(Handwritten notes)*  
4-23-92  
4-23-92