

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J Shell Source of data BOWC Date 4/69 Map

State 28 County (or town) Webster 78

Latitude: 33° 30' 33" N Longitude: 089° 22' 39" W Sequential number: 1

Lat-Long accuracy: 3 T. 19 S. R. 9 W. Sec. 17 NE SW

Local well number: M013AC1719M09E Other number: B & M

Local use: 081 Owner or name: JAMES POGUE Address: Tommoken

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer charts

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 100 ft Meas. rept accuracy 3

Depth cased: ft Casing type: Plastic; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, other X

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussive, (R) rotary, (T) reverse, (V) trenching, (W) driven, (X) wash, other H

Date Drilled: 9.6.7 Pump intake setting: ft

Driller: name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other Deep Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP above below LSD, Alt. MP

Alt. LSD: 940 Accuracy: (source) 5

Water Level 45 ft above MP; 45 ft below LSD Accuracy: D

Date meas: 7.6.7 Yield: 6 gpm Method determined 61

Drawdown: ft Accuracy: Pumping period hrs 65

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc.

PRINTED AND VENTURED BY THE BUREAU OF GEOLOGICAL SURVEY, WASHINGTON, D.C.

Well No.

M13

WEBSTER
M 13
7-67

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

DO NOT

WATER WELL DRILLERS LOG

8-20-67 1967 Charles Lorenz Webster
date well completed firm name county well located

LANDOWNER: <u>James Pogue</u>	description of formations encountered	from	to
<u>Zimmerman Miss</u> (mailing address)	<u>Clay</u>	<u>0</u>	<u>10</u>
WELL LOCATION: sec. <u>17</u> T. <u>19</u> N. R. <u>9</u> W.	<u>Shale</u>	<u>10</u>	<u>40</u>
<u>1 1/2</u> miles <u>N</u> <u>Zimmerman</u> (distance) (direction) (nearest town)	<u>Red Sand</u>	<u>40</u>	<u>70</u>
WELL PURPOSE: (home, irrigation, municipal, industrial)	<u>White Sand</u>	<u>70</u>	<u>100</u>
WELL COMPLETION DATA: (1) diameter (inches) <u>4"</u> (2) total depth (feet) <u>100'</u> (3) static water level (feet) <u>45'</u> below above top of ground. (4) casing <u>Plastic</u> , <u>4"</u> (material) (depth) <u> </u> if telescope see back. (size) (5) screen <u> </u> (length) (depth to top) <u> </u> (size) (material) (6) pump <u> </u> (HP) <u>6 Re mi</u> (yield gpm) <u>Electric</u> (type power) (7) electric log <u> </u> (yes or no) <u> </u> (organization running log) (8) how well bottom plugged <u>Good</u>			
DRILLERS REMARKS:			

JUN 17 1968

MISS. BD. OF
WATER COMRS