

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data Bowc Date 9/6/9 Map \_\_\_\_\_

State 28 County (or town) Yalobusha 81

Latitude: 34<sup>5</sup> 03<sup>7</sup> 57<sup>9</sup> N<sup>11</sup> Longitude: 08<sup>12</sup> 95<sup>15</sup> 40<sup>18</sup> 6<sup>19</sup> Sequential number: 1

Lat-long accuracy: 5<sup>20</sup> T. 25<sup>21</sup> S, R 70<sup>22</sup> Sec 5<sup>23</sup> \_\_\_\_\_

Local well number: E017<sup>24</sup> 0525<sup>25</sup> N04E<sup>26</sup> Other number: \_\_\_\_\_ B & M

Local use: 001<sup>27</sup> \_\_\_\_\_ Owner or name: L W ROTTENBERRY<sup>28</sup> Address: Oakland<sup>29</sup>

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P<sup>30</sup>

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other \_\_\_\_\_ H<sup>31</sup>

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W<sup>32</sup>

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D<sup>33</sup>

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 115<sup>34</sup> Meas. 3<sup>35</sup>

Depth cased: \_\_\_\_\_ ft 109<sup>36</sup> Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: (C) concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open hole, (K) shored, (L) other \_\_\_\_\_ S<sup>37</sup>

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_ H<sup>38</sup>

Date Drilled: 969<sup>39</sup> Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P., (I) Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 50 ft above \_\_\_\_\_ below MP; Ft below LSD 50 Accuracy: \_\_\_\_\_

Date meas: 764<sup>40</sup> Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

E 17

Well No. E 17

Latitude-longitude N  
S  
 d m s d m s

HYDROGEOLOGIC CARD

1 SAME AS ON MASTER CARD 19 Physiographic 20 03 21 Section: \_\_\_\_\_  
 Province: \_\_\_\_\_

22 D 23 15E 24 Subbasin: \_\_\_\_\_ 26

27 D (D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 (C) (E) (F) (H) (K) (L)  
 well site: (O) (P) (S) (T) (U) (V)  
 offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR TE TA  
 AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ 32 S 33 Origin: \_\_\_\_\_ 34 3 Aquifer Thickness: 220 ft

35 \_\_\_\_\_ 37 Length of well open to: \_\_\_\_\_ ft 38 6 39 Depth to top of: \_\_\_\_\_ ft 41 95 43

MINOR \_\_\_\_\_  
 AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ 48 \_\_\_\_\_ 49 Origin: \_\_\_\_\_ 50 \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

51 \_\_\_\_\_ 53 Length of well open to: \_\_\_\_\_ ft 54 \_\_\_\_\_ 56 Depth to top of: \_\_\_\_\_ ft 57 \_\_\_\_\_ 59

Intervals Screened 6" x 1/4" Dia

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 \_\_\_\_\_ 63 Source of data: \_\_\_\_\_ 64


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 \_\_\_\_\_ 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 \_\_\_\_\_ 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 \_\_\_\_\_ 75 Coefficient Storage: \_\_\_\_\_ 76 \_\_\_\_\_ 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79

Clay 0-40  
 Clay + sd 40-65  
 Gravel 65-80  
 Sd + gravel 80-95  
 Water sand 95-115



Well No. E 17