

6/78 WTO

TRANSMITTED FOR ADP

Recorded by WTO

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

Well No. E52
E-Log No. 64
County YALOBUSHA
90C

Date 6/26/78

JUN 1979

Site ID 340224089550302 R=0* T=A* 2=W*

Data reliab. 3=C* Report. agency 4=USGS* Dist. 6=28* 7=28* Co. 8=161*

Lat. Long./ 9=340224 10=0895503 Well No. 12=E052

Location 13=NWNE S 18 T 25 N R 04 E Alt. 16=287

Hyd. Unit (OKWC) 20= Date 21=06/26/1978

Well use 23=W Water Use 24=P Hole depth 27=1050 Well depth 28=920

WL 30=183 Date 31=05/05/1979 Source 33=D

Status 273= Project No. 5=

R=158* T=A* Date 159# 05/05/1979 Owner No. Well #3

Owner 161=OAKLAND

R=192* T=A* Date 193# Temp. 196#00010* 197=

R=192* T=A* Date 193# Cond. 196#00095* 197=

R=192* T=A* Date 193# pH 196#00400* 197=

R=58* T=A* 59# 1* Date 60=05/05/1979 Remarks

Drig. 63=0.0.1 Name Ripe Well + Sup. Method 65=H Finish 66=G

R=76* T=A* 59# 1*

Top csng. 77# 0 Bot. csng. 78=879 Diam. 79# 10

R=76* T=A* 59# 1*

Top csng. 77# 820 Bot. csng. 78=880 Diam. 79# 4

R=82* T=A* 59# 1* Top 83# 880 Bottom 84=920

Type 85=S Diam. 87=4 Size 88=

R=82* T=A* 59# 1* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R=146 T=A* 147# 1* Q 150=115 Q/S 272=

134 flows 146 pumped

at 88 PSI

(1995) WL-190

GEN. SITE DATA

OWNER

FIELD OW

CONSTR.

CASING

OPENINGS

YIELD

R=42* T= A * Lift type 43# T* Intake 44= * Power type 45= E*

Date 38= 05/05/1979* H.P. 46= 30.*

LIFT

LOGS

R=198* T= A * Log 199# E* Top 200= 15.* Bot 201= 949.*

R=198* T= A * Log 199# D* Top 200= 0.* Bot 201= 1050.*

R=189* T= A * E. Log No. 190# 064* 191= M I S S D I S T *

ANAL.

R=114* T= A * Year 115# * Type 120= *

AQUIFERS

R=90* T= A * 256# 1 * Top 91= 980.* Bot 92= 955.*

Unit ID 93= 124WLCXL* Name of Unit _____

R=90* T= A * 256# 1 * Top 91= * Bot 92= *

Unit ID 93= * Name of Unit _____

HYDRAULICS

R=98* T= A * 99# 1 * Unit tested 100= * 103= *

R=105* T= A * 99# 1 * Test No. 106# *

107= * Transmissivity (gal/d)/ft _____


108= * Hydraul. cond. (gal/d)/ft² _____

110= * Storage coeff. Boundaries _____

R=121* T= * Yr Begin 122# * Network 258= *

Water Level Data Collection (1)

Hole few feet away from T.H. E51



May 32

description of formations encountered	from	to
Top Soil	0	20
Gravel and sand	20	80
Sand and clay	80	100
Sand and clay	100	120
Sand and clay	120	140
Sand	140	160
Sand and clay	160	180
Sand and clay	180	200
Sand and clay	200	220
Sand and clay	220	240
Sand and clay	240	260
Sand	260	280
Sand	280	300
Sand and clay	300	320
Fine sand mixed	320	380
Good sand	380	400
Good sand	400	420
Sand and clay mixed	420	440
Sand and clay mixed	440	460
Sand and clay mixed	460	480
Sand and clay mixed	480	500
Good sand	500	520
Good sand	520	540
Sand	540	560
Sand and clay	560	580
Sand and clay	580	600
Good sand	600	620
Sand and clay	620	640
Clay	640	660
Sand and clay	660	680
Sand and clay	680	700
Sand and clay	700	720
Fine sand and clay	720	740
Good sand	740	760
Sand and clay	760	780
Sand and clay	780	800
Clay and rocks	800	820
Sand clay and rocks	820	840
Sand	840	860
Good sand	860	880
Good sand	880	900
Good sand	900	920
Sand and clay	920	940
Good sand	940	955
Clay	955	960
Clay	960	980
	980	1000

