

WELL SCHEDULE

MAR 24 1975

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J.S. Source of data BOWC Date 1/70 Map \_\_\_\_\_

State 28 County Yazoo (or town) 82

Latitude: 32<sup>59</sup>32<sup>N</sup> Longitude: 090<sup>19</sup>34 Sequential number: 1

Lat-long accuracy: 3 T 13 R 1 Sec 8 NE NE

Local well number: B014AA0813NO1W Other number: \_\_\_\_\_

Local use: 064 Owner or name: Inc. Eden Fisheries

Owner or name: EDEN FISHERIES Address: Yazoo City, Ms

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: (S) (T) (U) (V) (W) (X) (Y) (Z) W

Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes  no  period:

Aperture cards:  yes  no

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 112 ft Meas. rept 3 accuracy

Depth cased; (first perf.): 62 ft Casing type: Steel; Diam. 16 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open hole, (K) other S

Method: (A) drilled, (B) air rot, (C) bored, (D) cable, (E) dug, (F) hyd rot., (G) jetted, (H) percuss, (I) rotary, (J) air reverse, (K) trenching, (L) driven, (M) drive wash, (N) other H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft

Driller: Layne Central name address

Lift: (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other T Deep  Shallow

Power: (type) diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 100 Trans. or meter no. V

Descr. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 105 Accuracy: (source) 3

Water Level: 24 ft above \_\_\_\_\_ ft below MP; Ft below LSD 24 Accuracy: D

Date meas: N69 Yield: 3000 gpm Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

B 14

Well No.

B 14

(65-1)

WELL SCHEDULE

HYDROGEOLOGIC CARD

Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: E Subbasin: MT3J

Topo. of well site: (P) depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley, flat

MAJOR AQUIFER: Q.G. aquifer, formation, group

Lithology: U5 Origin: 2 Thickness: 64 ft

Length of well open to: 50 ft Depth to top of: 48 ft

MINOR AQUIFER: \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 1/6 Arms

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

ROTTEN TOMATO DIVISION

Well: 14

Depth to top of casing: \_\_\_\_\_ ft

Depth to top of well: \_\_\_\_\_ ft

Depth to water table: \_\_\_\_\_ ft

Flow rate: \_\_\_\_\_ gpm

Direction of flow: \_\_\_\_\_

Quality of water: \_\_\_\_\_

Temperature: \_\_\_\_\_ °F

Chemical analysis: \_\_\_\_\_

Notes: \_\_\_\_\_

B 14