

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

APR 18 1975

MASTER CARD #7

Record by Caalahan Source of data Obs - Obs Log Date 8-31-60 Map \_\_\_\_\_

State \_\_\_\_\_ County 28 (or town) \_\_\_\_\_ Sequential number: 82

Latitude: 32° 48' 34" N Longitude: 090° 25' 48" W

Lat-long accuracy: 3 S, R 2 E Sec 8, SE  $\frac{1}{4}$ , SW  $\frac{1}{4}$ , SW  $\frac{1}{4}$

Local well number: L006CC0811N02W Other number: \_\_\_\_\_ B & M

Local use: 020 Owner or name: R. B. CARSON Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft Meas. accuracy: 902 3

Depth cased; (first perf.): \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. 4x2 in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. screen, (I) open end, (J) open end, (K) perf., (L) screen, (M) sd. pt., (N) shored, (O) open hole, (P) other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percuss, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_ H

Date Drilled: 7-8-57 9:57 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Bailey Haly Co name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ S Deep \_\_\_\_\_ Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 250 Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_ 47

Water Level 171.42 ft above MP; Ft below LSD 171 Accuracy: \_\_\_\_\_ 52 A

Date meas: 8-6-60 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

