

Recorded by WTO  
Date 4/70 5/77

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. Q12  
E-Log No. 214  
County YAZOO

Site ID 323953090270301 R=0\* T=A\* 2=W\*

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=163\*

Lat. Long./ 9=323953\* 10=0902703\* Well No. 12=0012\*

SESE Location 13=SENE s 36 T 10 N R 03 W\* Alt. 16=340.\*

Hyd. Unit (OWDC) 20= Date 21=03/01/1970\*

Well use 23=U\* Water Use 24=U\* Hole depth 27=990.\* Well depth 28=990.\*

WL 30=260.\* Date 31=03/01/1970\* Source 33=D\*

Status 273=Y\*

R=158\* T=A\* Date 159#03/01/1970\* Owner No.

Owner 161=JOE BROOKS\*

R=192\* T=A\* Date 193#05/16/1970\* Temp. 196#00010\* 197=

R=192\* T=A\* Date 193#05/16/1970\* Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

R=58\* T=A\* 59#1\* Date 60=03/01/1970\* Remarks

Drlg. 63=150\* Name Cresswell Method 65=H\* Finish 66=S\*

R=76\* T=A\* 59#1\*

Top csgn. 77#0.\* Bot. csgn. 78= Diam. 79#4.\*

R=76\* T=A\* 59#1\*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

R=82\* T=A\* 59#1\* Top 83#970.\* Bottom 84=990.\*

Type 85=S\* Diam. 87=2.\* Size 88=

R=82\* T=A\* 59#1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R= T=A\* 147#1\* Q 150= Q/S 272=

134 flows 146 pumped

GEN. SITE DATA

OWNER

FIELD QW

CONSTR.

CASING

OPENINGS

YIELD

R=42\* T= A \* Lift type 43# S\* Intake 44= \* Power type 45= E\*

LIFT

Date 38= 03/01/1970\* H.P. 46= 2.\*

LOGS

R=198\* T= A \* Log 199# D\* Top 200= 0.\* Bot 201= 990.\*  
 R=198\* T= A \* Log 199# E\* Top 200= 354.\* Bot 201= 990.\*  
 R=189\* T= A \* E Log No. 190# \* 191= M I S S ... D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= 9900.\* Bot 92= 990.\*  
 Unit ID 93= 124SPRT \* Name of Unit \_\_\_\_\_  
 R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
 Unit ID 93= \* Name of Unit \_\_\_\_\_

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \*  
 R=105\* T= A \* 99# 1 \* Test No. 106# \*  
 107= \* Transmissivity (gal/d)/ft \_\_\_\_\_  
 108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup> \_\_\_\_\_  
 110= \* Storage coeff. Boundaries \_\_\_\_\_

Sp Cond = 19.200  
 CL = 8,000 ±  
 5-17-77 MSGS  
 Well near injection well

16/77