

**DIAGNOSED**  
**APR 18 1975**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by B. D. Source of data Bowl Date 8-71 Map \_\_\_\_\_

State 28 County (or town) Yazoo 32

Latitude: 32<sup>48</sup> 39<sup>12</sup> 12<sup>N</sup> Longitude: 090<sup>22</sup> 21<sup>6</sup> Sequential number: 1

Lat-long accuracy: 5<sup>20</sup> 9<sup>20</sup> 2<sup>20</sup> Sec 2

Local well number: W 026 0209 N 02W Other number: \_\_\_\_\_ B & M

Local use: 150 Owner or name: \_\_\_\_\_

Owner or name: W. S. HANCOCK Address: Renton

Ownership: (C) \_\_\_\_\_ (F) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (S) \_\_\_\_\_ (W) \_\_\_\_\_ P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: (S) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (V) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Y) \_\_\_\_\_ (Z) \_\_\_\_\_ 11

Stock, Instit, Unused, Repressure, Recharge, Desal-P-S, Desal-other, Other \_\_\_\_\_

Use of well: (A) \_\_\_\_\_ (D) \_\_\_\_\_ (G) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (J) \_\_\_\_\_ (K) \_\_\_\_\_ (L) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (O) \_\_\_\_\_ (P) \_\_\_\_\_ (Q) \_\_\_\_\_ (R) \_\_\_\_\_ (S) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (V) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Y) \_\_\_\_\_ (Z) \_\_\_\_\_ W

Anode, Drain, Seismic, Beat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 68 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased (first perf.): \_\_\_\_\_ ft 63 Casing type: \_\_\_\_\_; Diam. in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel v. (perf.), (H) horiz. screen, (I) open end, (J) gallery, (K) other \_\_\_\_\_ 5

Method: (A) drilled, (B) bored, (C) cable, (D) dug, (E) rot., (F) air, (G) hyd jetted, (H) percussion, (I) rotary, (J) air reverse, (K) trenching, (L) driven, (M) wash, (N) other \_\_\_\_\_ 11

Date Drilled: 9-6-3 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: Creel & Creswell

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below \_\_\_\_\_ LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: 45 ft above below MP; 45 ft above below LSD Accuracy: \_\_\_\_\_ 52 D

Date meas: D. 6 3 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 74 76 77 79

Taste, color, etc. \_\_\_\_\_

Well No.

W 26

